

NPS SPORTS PHYSICAL DOCUMENTS

TECHNOLOGY HIGH SCHOOL

*These documents must be filled out completely prior to the examination.

Hand in completed packets directly to;

Head Coach, School Nurse, Athletic Trainer or Head of Athletics.

Newark Public Schools Office of Health Services

Request/Consent for Medical Examination By the School Physician

Name	Birth date	Grade/Room
Parent/Guardian		rk)
	(11011	ue)
I understand that the laws of the each student must be examined.	ne New Jersey Departme	nts of Education and Health require that ol district.
I am requesting that my	y child be examined by the	ne School Physician.
Therefore, I give my consent physical examination for my c responsible to seek further medi	hild. I will be notified	Schools' School Physician to provide a of any abnormal findings, and will be
Family Physician/Prima	ry Health Care Pr	ovider Medical Examination
My child has a medica my child. I am responsible for school nurse within 30 days.	d care provider, who she or submitting the comp	all provide the physical examination for leted physical examination form to the
I understand that it is highly r least once up to 3 rd grade, one grades.	recommended that all s ce between 4 th and 8 th	tudents have a medical examination at grades, and once between 7^{th} and 12^{th}
Parent/Guardian		
Signature		Date

NEWARK PUBLIC SCHOOLS

PERMISSION FORM FOR ATHLETIC COMPETITION

Please complete this form in ink.
L'we the parent/legal guardian of, request that our child be permitted to participate in as carried out in the school, including practice sessions and contests with other schools. In consideration of such permission, it is represented and agreed as follows:
1. That said child is physically able to participate in said sport.

- 2. I/we realizing that such activity involves the potential for injury, which is inherent in all sports, acknowledge that even with the best coaching, use of the most protective equipment and strict observance of rules, injuries are still a possibility. I/we understand that the dangers and risks include, but are not limited to, death, serious head, neck and spinal injuries, paralysis, injuries or impairment to the musculoskeletal system, or other aspects of the body, general health, and well-being. I/we acknowledge that I/we have read and understand this warning, and have discussed these thoroughly with our child.
- 3. That said child issued equipment and supplies, which must be returned on demand or replaced if lost or stolen. It is understood that I am not to be charged for any damage due to wear and tear through legitimate use. The student may use school facilities to store equipment, but is responsible for equipment once it has been issued. It may be taken home for cleaning and storage.
- 4. FOOTBALL PLAYERS ONLY: That I/we acknowledge and understand the following warning: no helmet can prevent all head or neck injuries that a player might receive while participating in football. A helmet must not be used to butt, ram or spear an opposing player. This is a violation of the football rules and such use can result in severe head or neck injuries, paralysis or death and possible injury to the opponent as well.
- 5. I/we authorize the athletic trainers to provide necessary treatment to my/our child if injured and if it is deemed necessary to seek further treatment, the child will be transported to the nearest emergency room.
- 6. I/we also authorize the Newark Public School Athletic Trainers to render to our son/daughter any preventive measures for injuries, first aid, treatment, rehabilitation, or emergency treatment not limited to tapping, wrapping, icing and heating treatments that they deem reasonable and necessary. This includes all practices, competitions and team travel.
- 7. I/we realize that I/we are expected to report all injuries/illnesses that may have been sustained during periods of official, organized athletic participation (including all regularly scheduled practices and competitions) to the athletic director, athletic trainer, and coach.
- 8. That neither the Newark Public Schools nor any of its employees shall be liable to the undersigned or to the pupil for any claims arising out of or during, such participation, said claims be hereby waived, and the undersigned releases the said Newark Public Schools, its employees, teachers, and principal from any and all liability claims for personal injury to said pupil, expenses, or property damage.
- 9. I/we understand that the school insurance plan is for excess insurance coverage only. I/we acknowledge receipt of the Certificate of Insurance, which describes the benefits, and conclusion of the insurance program in force for the athletes and other participants in the athlete office.
- 10. Because of the dangers of participating in sports, I/we recognize the importance of following the instructions of the athletic department personnel regarding playing techniques, training, rules of the sport/team equipment, and to obey such rules. I/we also acknowledge that some sports are classified as contact sports involving an even greater risk of injury than other sports.

DECLARATION OF AGREEMENT

I/we certify that the undersigned student is an amateur and is eligible to compete under the rules of the New Jersey State Athletic Association. He/she requests to be enrolled as a candidate for a place on the school team in the above-specified sport. He/she acknowledges the fact that physical hazards may be encountered and waives all claims against the Newark Public Schools and its employees for damages to themselves or other persons in their behalf for personal injuries that occur during participation in the sport. I/we will be responsible for the safe return of all athletic equipment issued by the school to my/our child. By signing below, I/we are acknowledging that I/we understand the above terms.

Parent/Guardian's Signature	Date
Student-Athlete's Signature	

THE NEWARK PUBLIC SCHOOLS Permission & Emergency Information Form

Last Name, First Name	: MI		Birthdate		· · · · · · · · · · · · · · · · · · ·
a remos a mac radific	, , 1711		ыладае	Sex (M/F)	Age
Grade (Sept.)	School	ol Attended	Homeroom	Previous	ly Played Sports
IOME ADDRESS			HOLEN		•
· Oute VORKESS		-	HOME Phone #		
ather / Guardian's NA	ME	I	ROME and/or CELL Phone #		
ather / Guardian's Bus	siness Name & L	Location		Business	Phone#
Aother / Guardian's N	AME	F	HOME and/or CELL Phone #		•
		-	· · · · · · · · · · · · · · · · · · ·		
dother / Guardian's Bu	siness Name & J	Location .	•	Business	Phone #
AMILY PHYSICIAN		, i Dobras			
AMILIA ETI I I I I I I I		ADDRESS		OFFICE I	PHONE#
M (Jum on the					
Y CASE OF EMERG	ENCY Contact	: (OTHER THAN PARENT	C/GUARDIAN)	Relationship to Stude	ent
ddress ·		HOME Phon	e#	OTHER Phone # (CE	27.7.
Iedical Conditions/	131	:		OTHER PRODE # (CE	٠ (مهر
isurance Informati	on: PLEA	SE ATTACH A COPY	OF YOUR INSURANCE CA	RD or FILL IN ALL IN	FORMATION.
	IF YO	OU HAYE NO INSURAI	OF YOUR INSURANCE CA NCE PLEASE INDICATE <u>N</u>	ONE ON THE LINE BE	LOW.
	IF YO	OU HAYE NO INSURAI	YCE PLEASE INDICATE <u>N</u>	ONE ON THE LINE BE	LOW.
ssurance Company N	IF YC	OU HAYE NO INSURAI	NCE PLEASE INDICATE <u>N</u>	ONE ON THE LINE BE	LOW.
isurance Company N	IF YC	OU HAYE NO INSURAI	NCE PLEASE INDICATE <u>N</u>	ONE ON THE LINE BE	LOW.
	IF YC	OU HAYE NO INSURAI	NCE PLEASE INDICATE <u>N</u>	ONE ON THE LINE BE	LOW.
usurance Company N ame of Insured (pare	IF YC Jame, Address ent/guardian)	OU HAYE NO INSURAI	NCE PLEASE INDICATE <u>N</u> Da Group#	ONE ON THE LINE BE te of Birth of Insured (pare	LOW.
asurance Company N ame of Insured (pare olicy # arent/Guardian Signa	IF YC	OU HAVE NO INSURAI & Phone #:	NCE PLEASE INDICATE No.	ONE ON THE LINE BE	cnt/guardian)
ame of Insured (pare olicy #arent/Guardian Signa	IF YC	OU HAVE NO INSURAL & Phone #:	OCE PLEASE INDICATE No. 10 P.	ONE ON THE LINE BET	nt/guardian)
ame of Insured (pare olicy #arent/Guardian Signa **By si company t	IF YC lame, Address cnt/guardian) sture gning this doc o cover any in	ou HAVE NO INSURAL & Phone #: cument, I hereby authori cjuries suffered by my cl	Da Group # D Ze medical treatment in case wild in the eyent of an emerge hospital. I understand that the	ONE ON THE LINE BET te of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not be Newark Public School	cot/guardian)
ame of Insured (pare olicy #arent/Guardian Signa **By si company t	IF YC lame, Address cnt/guardian) sture gning this doc o cover any in	ou HAVE NO INSURAL & Phone #: cument, I hereby authori cjuries suffered by my cl	OCE PLEASE INDICATE No. 10 P.	ONE ON THE LINE BET te of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not be Newark Public School	cot/guardian)
ame of Insured (pare olicy #arent/Guardian Signa **By si company t	IF YC lame, Address cnt/guardian) sture gning this doc o cover any in	ou HAVE NO INSURAL & Phone #: cument, I hereby authori cjuries suffered by my cl	Da Group # D Ze medical treatment in case wild in the eyent of an emerge hospital. I understand that the	ONE ON THE LINE BET te of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not be Newark Public School	cot/guardian)
ame of Insured (pare olicy#	IF YC lame, Address cnt/guardian) sture gning this doc o cover any in	ou HAVE NO INSURAL & Phone #: cument, I hereby authori cjuries suffered by my cl	Da Group # D Ze medical treatment in case wild in the eyent of an emerge hospital. I understand that the	ONE ON THE LINE BET te of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not be Newark Public School	cot/guardian)
ame of Insured (pare olicy #	IF YO lame, Address ent/guardian) ture gning this doe o cover any in or free or redu	ou HAVE NO INSURAL & Phone #: djuries suffered by my changed medical care at the will only cover me	Dato:	one on the Line be to of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not he Newark Public Schoolers have been taken.**	cot/guardian)
ame of Insured (pare olicy #	IF YO Jame, Address ent/guardian) ature gning this doe o cover any in or free or reduced.	eument, I hereby authori ijuries suffered by my cl uced medical care at the will only cover me	Date:	one on the Line be te of Birth of Insured (pare ate: of hospitalization and the ncy. If my child does not be Newark Public Schoolers have been taken.**	c.OW. chilling of my insurance have insurance Player condary Insurance Player Date;
ame of Insured (pare of	IF YO lame, Address ent/guardian) ture gning this doe o cover any in or free or redu	ou HAVE NO INSURAL & Phone #: djuries suffered by my changed medical care at the will only cover me	Dato:	one on the Line be to of Birth of Insured (pare ate: of hospitalization and the ney. If my child does not he Newark Public Schoolers have been taken.**	nt/guardian) billing of my insurance have insurance Player condary Insurance Player and Player Date;

^{***} PLEASE RETURN TO THE COACH OR ATHLETIC TRAINER WHEN COMPLETED ***

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION HISTORY FORM

Jame							
value					Date of birth		
		CHADE	School		Sport(s)		
Medicine	s and Allergies; Pl	ease list all of the prescription and o	ver-the-	-counter	medicines and supplements (herbal and nutritional) that you are curren	ilv taking	
	<u></u>						
Do you hav	ve any allergles?	Cl Voo. Cl No. Kusa alaaa l	J. 100				
□ Medici	ues Ues	☐ Yes ☐ No If yes, please I ☐ Pollens	dentity :	specific	FT F 1		
xplain "Yes	s" answers halow C	ircle questions you don't know the		- 1-	☐ Flood . ☐ Stinging Insects		
ENERAL O	UESTIONS	in oce questions you don't know the	answar	s 10. W 1867	ALT THE ACTION OF THE PARTY OF		
1, Has a do	clor aver denled or re	stricted your participation in sports for	2019	3400	MEDICAL QUESTIONS 26. Do you cough, wheeze, or have difficulty breathing during or	Yes	Œ
asty reas	on?				and exercise?		
2, Do you h below: E	ave any ongoing medi I Asihma II Anen	cal conditions? If so, please identify nia Diabetes Infections	1		27. Have you ever used an inhaler or taken asthma medicine?		Ĺ
· Other:	- Alumbe Li Alei	SUCCESS THE SECONDS	ļ	ĺ	28. Is there enyone in your family who has asthma?		
	ever spent the night l	n (he hospila)?			29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?		
	ever had surgery?	72 (M.) (M.) (M.) (M.) (M.) (M.) (M.) (M.)			30. Do you have groin pain or a painful bulge or hernia in the groin area?	+	_
EHNUVERL	THEMRES HOWS BEING	of You	Yes	S SHo	31. Have you had infectious mononucleosis (mono) within the last month?	1	_
AFTER 8X	ercise?			1	32. Do you have any rashes, pressure sores, or other skin problems?		
6. Have you	ever had discomfort, ing exercise?	pain, tightness, or pressure in your		†	33. Have you had a herpes or MRSA skin Infection? 34. Have you ever had a head injury or concussion?	1	_
		ip beats (irregular beats) during exercise:	, —	-	35. Have you ever had a hit or blow to the head that caused confusion,	+-+	_
. Has a doc	tor ever told you that	you haye any heart problems? If so,	+-	 	prolonged headache, or memory problems?		
check all	that apply:		1		36. Do you have,a history of salzure disorder?		_
	•	□ A heart murmur □ A heart Infection			37. Do you have headaches with exercise? 38. Have you ever hed numbness, tingling, or weakness in your arms or		
		Other:			regs after oning hit of failing?		
). Has a doc echocardi	lor ever ordered a test ogram)	for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		_
). Do you ge	t lightheaded or feel n	nore short of breath than expected	-	 	40. Have you ever become III while exercising in the heat?	├─┼	
during exe	ercise?	· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u> </u>	41. Do you get frequent muscle gramps when exercising?		_
	ever had an unexplain Laure bred or short o	ed seizure? f breath more quickly than your friends	<u> </u>	<u> </u>	42. Do you or someone in your family have sickle cell trait or disease?		
duting exe	rcise?				43. Have you had any problems with your eyes or vision?		
ART HEALT	H QUESTIONS ABOU	TYOUR FAMILY	Yes	No	44. Have you had any eye Injuries? 45. Do you wear glasses or contact lenses?	<u> </u>	_
. Has any fa unexpecte	mily member or relativ d or unexplained sudd	ve died of heart problems or had an en death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?	-	_
drawning,	unexplained car accid	ent, or sudden infant death syndrome)?			47, Do you worry about your waight?		
Does anyo	ne in your family have	hypertrophic cardiomyopathy, Marfan Yentricular cardiomyopathy, long QT		ļ —	48. Are you trying to or has anyone recommended that you gain or		
syndrome.	short QT syndrame. H	ruoada syndrome, or catecholaminernic		Ì.	ipsa Meiduci		_
polymorph	ic Yentricular tachycar	dia?	<u> </u>		49. Are you on a special diet or do you avoid certain types of foods? 50. Have you ever had an eating disorder?		
implanted	ne in your farmiy nave defibrilfator?	a heart problem, pacemaker, or	1		61. Do you have any concerns that you would like to discuss with a doctor?		_
Has anyone	e in your family had ur	explained fainling, unexplained		-	FEMALES ONLY	10/55 (1)	11
	r near drowning? INT QUESTIONS			1007 1300	52. Have you ever had a menstruel period?		_
		bone, muscle, ligament, or tendon	Yes	No	53. How old were you when you had your first menstrual period?		
that caused	l you to miss a practic	e or a game?			54. How many periods have you had in the last 12 months?	· ·	
		fractured bones or dislocated joints?			Explain "yes" answers here		
Have you en	ver had an injury that : herapy, a brace, a cas	required x-rays, MRI, CT scan,					
	ver had a stress fractu						_
Have you et	ver been told that you	have or have you had an x-ray for neck					
		y? (Down syndrome or dwarttsm) utics; or other assistive device?					
		ones, or other assistive device? Int Injury that bothers you?					_
Do any of yo	our joints become pain	ful, swollen, feel warm, or look red?					
		e arthritis or connective tissue disease?	••				
eby state	that, to the best o	f my knowledge, my answers to t	he abou	e ques	tions are complete and correct		_
		Signature of		,			

PREPARTICIPATION PHYSICAL EVALUATION THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex	mem			-	
Name _			•	Date of birth	
Sex				Sport(s)	***************************************
	f disability				
	f disability				
	leation (If available)				
		lsease, accident/trauma, olher)			<u>.</u>
5. List th	e sports you are inter	rested in playing			
					ACCONOCCO, PRODUCE DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONTRACTOR DE CONT
6. Do you	regularly úse a brac	e, assistive device, or prosthell	67		Yes No
		ce or assistive device for sports			
		essure sores, or any other skin			
9. Do you	have a hearing loss	? Do you use a hearing aid?			
10. Do you	have a visual Impair	ment?			
		ices for bowel or bladder functi	on?		
12. Do yeu	have burning or disc	comfort when urinating?			
	ou had autonomic dy				
			ermia) or cold-related (hypothermia) ilines	27	
15. Do you	have muscle spastic	lty?	A Section In It is a section of the		
		es that cannot be controlled by	medication?		
	" answers here				
	- Michola field	*			
			D	•	:
,				-	
Please indic	ate If you have ever	had any of the following.			
Atlantoaxial	instablity				Wilder State of State
X-ray evalue	illon for atlantoaxlal l	instability			
Dislocated je	olnts (more than one)		,		
Easy bleedir)g			-	
Enlarged spl	ееп				
Hepalitis					
Osteopenia o	or osteoporosts				
Difficulty cor	trolling bowef .	-			
Difficulty cor	ntrolling bladder			,	
Numbness o	r tingling in arms or i	hands			
Numbness o	r tingling in legs or fe	oet		·	
Waakness In	anns or hands				
Weakness in	legs or feet			· · · · · · · · · · · · · · · · · · ·	
Recent chan	ge in coordination		*		<u>`</u>
Recent chan	ge in ability to walk				
Spina bifida					
Lalax allergy					
halata waxa					
explain "yes"	answers here		•		•
					·
			•		,
		•			
				•	
			1		<u> </u>
		-			
					
nereby state	that, to the best of	my knowledge, my answers	lo lbe above questions are complete an	i correct,	•
Ignature of ethi	ełe	•	Signature of parent/guardian	,	
					babs
v2010 Americ	an Academy of Famil	iy Physicians, American Acaden	ny of Pediatrics, American College of Sport	Medicine, American Medical Sociaty for Sports &	Indiaina Amorina Odhanadia

NOTE: The preparticlaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Nате			•	Date	e of birth	
Do you feel stressed Do you ever feel sad, Do you feel safe at y Have you ever tried c During the past 30 d Do you drink alcohof Have you ever taken Have you ever taken Oo you wear a seat h	estions on more sensitive issues out or under a lot of pressure? , hopeless, depressed, or anxious? nour home or residence? digareftes, chewing tobacco, snuff, or ays, did you use chewing tobacco, snuff or use any other drugs? anabolic steroids or used any other pany supplements to help you gain or left, use a helmel, and use condoms? stioos on cardiovascular symptoms (c	ff, or dip? erformance supplement? ase weiglit or improve your	performance?			
Height	Walght	D Mala	☐ Fernals			
BP /	(/) Pulse	Vision		1 00/		
MEDICAL		CONTAC	N ZU/	L 20/	Corrected □ Y □ N	
Appearance • Marfan stigmata (kyphos arm span > height, hype Eyea/eara/nose/hroat • Pupits equal • Hearing	collosis, high-arched palate, peelus exce daxity, myopla, MVP, eortic insufficiency)	ivalum, arachnodactyly,	A COLUMN TO THE		ABUORMAL FINDINGS	
Lymph nodes		·				
Heart* • Murmurs (auscultation st • Location of point of max) Pulses	anding, supine, +/- Valsaiya) mai impulse (PMI)					
 Simultaneous femoral an 	d radial puises					
Lungs .				-		
Abdomen						
Genitourinary (maies only)* Skin						
 HSV, lesions auggestive o 	f MRSA, tinea corporis			•		
Neurologic * MUSCULOSKELETAL						
MUSGUEDSKELETAL						
Back					•	
Shoulder/arm			•			
Elbow/forearm						
Wrist/hand/fingers						
Hlp/lhlgh	,					
Клее						
Leg/ankle						
Fool/toes						
Functional • Duck-welk, single leg hop		}				
Zonsidor Gij exem if in privale sett Consider dognitive evaluation or ba I Cleared for all sports witho	d referral to cardiology for abnormal cardiac his ing. Having third party present is recommended sellne neuropsychlatric leating if a history of sk ut restriction ut restriction with recommendations for i	, nificant concussion.	t for	,		
1 Not along						
Not cleared D Pending furth	sar overkrillen		•			
• •					,	
☐ For any sport			_			
	oorls	***************************************				
acommendations						
ise after the athlete has bee the athlete (and parents/gr		exam is an record in my or a may resolud the clearance	ice and can be made antif the problem is r	avallable to the schoolsele and the pote	ol at the request of the parents. If ntial consequences are completely	conditions explained
ame of physician, advance	d practice nurse (APN), physicien ass	stant (PA) (print/type)			Date of exam	
ddress					Phone	
gnature of physician, APN,	PA					
2016 American Academy of F	amily Physicians, American Academy of A	Pediatrics, American College o	f Sports Medicine, Ame	rican Medical Society	for Sports Medicine, American Orthop	paedic

PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name	Sex 🗆 M 🗆 F Age	Date of birth
☐ Cleared for all sports without restriction		
C) Cleared for all sports without restriction with recommendations for further ex	aluation or treatment for	
□ Not cleared	,	
□ Pending further evaluation	•	•
☐ For any sports		
☐ For certain sports		
Reason	•	
Recommendations		
·		
	•	
	•	
EMERGENCY INFORMATION		
Allergies		
	•	9
Other information		
HCP OFFICE STAMP	SCHOOL PHYSICIAN:	
	Reylewed on	
		(Date)
	Approved Not a	Approved
	Signature:	
I have examined the above-named student and completed the preparticular contraindications to practice and participate in the sport(s) and can be made available to the school at the request of the parent the physician may rescind the clearance until the problem is resolve (and parents/guardians).	as outlined above. A copy of the ts. If conditions arise after the atl	physical exam is on record in my office niete has been cleared for participation.
Name of physician, advanced practice nurse (APN), physician assistant (PA)		
Address		
Signature of physician, APN, PA		
Completed Cardiac Assessment Professional Development Module		
DateSignature		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine, Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

To the Examining Healthcare Provider: In order to insure that the health office has a completed and updated health record for your patient/athlete, please complete the information below, and stamp in the space provided. If your patient has asthma, please provide an Asthma Action Plan. If your patient has allergies, does he need to carry an Epi-pen? Yes____ No____ If your patient has diabetes can they self-manage their blood glucose monitoring? Yes__ No__ Are they able to self-manage glucose fluctuations? Thank you very much for your cooperation. Medications currently prescribed, with dose and frequency: Most recent immunizations and DATES administered: Provider's Stamp

School Physician's Signature

Date of Exam



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691 609-259-2776 609-259-3047-Fax

NJSIAA STEROID TESTING POLICY

CONSENT TO RANDOM TESTING

In Executive Order 72, issued December 20, 2005, Governor Richard Codey directed the New Jersey Department of Education to work in conjunction with the New Jersey State Interscholastic Athletic Association (NJSIAA) to develop and implement a program of random testing for steroids, of teams and individuals qualifying for championship games.

Beginning in the Fall, 2006 sports season, any student-athlete who possesses, distributes, ingests or otherwise uses any of the banned substances on the attached page, without written prescription by a fully-licensed physician, as recognized by the American Medical Association, to treat a medical condition, violates the NJSIAA's sportsmanship rule, and is subject to NJSIAA penalties, including ineligibility from competition. The NJSIAA will test certain randomly selected individuals and teams that qualify for a state championship tournament or state championship competition for banned substances. The results of all tests shall be considered confidential and shall only be disclosed to the student, his or her parents and his or her school. No student may participate in NJSIAA competition unless the student and the student's parent/guardian consent to random testing.

By signing below, we consent to random testing in accordance with the NJSIAA steroid testing policy. We understand that, if the student or the student's team qualifies for a state championship tournament or state championship competition, the student may be subject to testing for banned substances.

Signature of Student-Athlete Print Student-Athlete's Name	Date
	•
Signature of Parent/Guardian Print Parent/Guardian's Name	e Date


- http://tinyurl.com/m2gjmvq Sudden Death In Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org


Collaborating Agencies:

New Jersey Chapter 3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 American Academy of Pediatrics (p) 609-842-0014 (f) 609-842-0015



www.aapnj.org





N. Hoalth www.state.nj.us/health (p) 609-292-7837

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD Lead Author: American Academy of Pediatrics, New Jersey Chapter

NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses

Lakota Kruse, MD, MPH; Susan Mariz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Telchholz, MD; Perry Weinstock, MD Revised 2014: Nancy Curry, EdM; Christene DeWitt-Parker, MSN, CSN, RN;








American Academy of Pediatrics 679 DEDICATED TO THE HEALTH OF ALL CHILDREN





between the ages of 10

ultîmately dīes uniess normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

mon is sudden death in young

Sudden cardiac death in young athletes is, The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 peryear.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more



... What are the most common causes?

by one of several cardiovascular abnormalities ventricular fibrillation (ven-TRICK-you-lar fibroo-LAY-shun). The problem is usually caused Research suggests that the main cause is a and electrical diseases of the heart that go loss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. heart to quiver instead of pumping

muscle, which can cause serious heart rhythm also called HCM. HCM is a disease of the heart The most common cause of sudden death in problems and blockages to blood flow. This (hl-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

(commonly called "coronary artery arteries. This means that these blood vessels are connected to disease," which may lead to a heart heart in an abnormal way. This differs from blockages that may the main blood vessel of the The second most likely cause is congenital occur when people get older abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth) attack).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be ("medical home") or school physician stilleast once per year. The New Jersey Department of

examined by their primary care physicial

studen death-in young people include

- inflammation of the heart muscle (usually Myocarditis (my-oh-car-DiE-tis), an acute due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- abnormal fast heart rhythms that can also Long QT syndrome and other electrical abnormalities of the heart which cause run in families.

student-athletes answering questions about

This process begins with the parents and

symptoms during exercise (such as chest

ticipation Physical Examination Form (PPE

Education requires use of the specific Prepa

shorthess of breath); and questions about

family health history.

pain, dizziness, fainting, palpitations or

generally seen in unusually tall athletes, Marfan syndrome, an Inherited disorder especially if being tall is not common in that affects heart valves, walls of major arteries, eyes and the skeleton. It is other family members.

... Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to dentify those at

during physical activity or during a seizure.

They also need to know if anyone in the

family under the age of 50 had an

The primary healthcare provider needs to know If any family member died suddenly

- Fainting, a seizure or convulsions during physical activity;
- excitement, emotional distress or being Fainting or a seizure from emotional startled;
- Dizziness or lightheadedness, especially during exertion;

there are no warning sighs reported on the

discovered on examino further evaluation or

lesting is recommended.

Health history and no abnormalities

measurement of blood pressure and a careful

The required physical exam includes

risk for sudden cardiac de部

listening examination of the heart, especially

for murmurs and rhythm abnormalities. If

- Chest pains, at rest or during exertion;
- extra beats) during athletics or during cool down periods after athletic participation; beating unusually (skipping, imegular or Palpitations - awareness of the heart
- Fatigue or tiring more quickly than peers; or to shortness of breath (labored breathing). Being unable to keep up with friends due

Including 8:12-lead electrocardiogram (ECG)

Jechnology-based screening programs

may consider in addition to the required

noninvasive and painless options parents

and echocardiogram (ECHO) are

Are there options privately available to screen for cardiac conditions?

the American Academy of Pediatrics and the addition to the expense, other limitations of possibility of "false positives" which leads to American College of Cardiology unless the PPE reveals an Indication for these tests. In parent or guardian as well as unnecessary unnecessary stress for the student and restriction from athletic participation, technology-based tests include the

http://www.hhs.gov/familyhistory/Index.html. options under the Surgeon General's Family and Human Services offers risk assessment The United States Department of Health History Initiative available at

When should a student athlete see a

electrocardiogram (ECG), which is a graph of echocardiogram, which is an ultrasound test specialist may also order a treadmill exercise If the primary healthcare provider or school to allow for direct visualization of the heart physician has concerns, a referral to a child recommended. This specialist will perform recording of the heart rhythm. None of the heart specialist, a pediatric cardiologist, is a more thorough evaluation, Including an structure, will likely also be done. The test and a monitor to enable a longer the electrical activity of the heart. An testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death are difficult to uncover and may only develop in the athlete. This is because some diseases later in life. Others can develop following a

infection of the fleaft muscle from a virus.

proper screening and evaluation, most cases review of the family health history need to athlete's primary healthcare provider. With This is why screening evaluations and a be performed on a yearly basis by the can be identified and prevented.

: ' Why have an AED on site during sporting

fibrillation caused by a blow to the chest over. fibrillation is immediate use of an automated restore the heart back into a normal rhythm. The only effective treatment for ventricular external defibrillator (AED). An AED can An AED is also life-saving for ventricular the heart (commotio cordis).

sponsored athletic event or team practice in including any of grades K through 1,2, the New Jersey public and nonpublic schools NJ.S.A. 18A.40-41a through c, knowmas "Janet's Law," requires that at any schoolfollowing must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- other designated staff member if there is no certified in cardiopul monary resuscitation (CPR) and the use of the AED; or A teath coach, licensed athletic trainer, or coach of licensed athletic trainer present.
 - no more than a 1 to 11/2 minute walk from any location and that a call is made to activate 911 central location that is accessible and ideally emergency system while the AED is being provider or other certified first responder. recommends the AED should be placed in A State-Certified emergency services The American Academy of Pediatrics refrieved.

State of New Jersey DEPARTMENT OF EDUCATION

$\frac{\text{Sudden Cardiac Death Pamphlet}}{\text{Sign-Off Sheet}}$

Tame of School District:
Iame of Local School;
We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphle
tudent Signature:
•
arent or Guardian ignature;
Pate:



Technology High School

TECHNOLOGY HIGH SCHOOL

Edwin Reyes, Principal

Use and Misuse of Opioid Drugs Fact Sheet Student-Athlete and Parent/Guardian Sign-Off

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* to all student athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district, prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student athlete's or cheerleader's first official practice of the school year.

Name of School: Technology High School
Name of School District (if applicable): Newark Public Schools
I/We acknowledge that we received and reviewed the Educational Fact Sheet on the Use and Misuse of Opioid Drugs.
Student Signature:
Parent/Guardian Signature (also needed if student is under age 18):
Date:
¹ Does not include athletic clubs or intramural events.

OPIODUSE AND MISUSE EDUCATION OF STREET

Keeping Student-Athletes Safe

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller. It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic. In this epidemic is a series of the country are coping with the health, emotional and economic effects of this epidemic.

This educational fact sheet, created by the New Jersey Department of Education as required by state law (N.J.S.A. 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

Hover validation and the officer

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications. It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

White vertex and the second of the second


According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied. In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening, such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.

What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, nonsteroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid parcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of Immediately upon cessation of use. Ask your pharmacist about drop-off locations
 or home disposal kits like Deterra or Medsaway.




NJ Health

STATE OF NEW JERSEY
DEPARTMENT OF HEALTH

NBSIAA

NJSIAA SPORTS MEDICAL ADVISORY COMMITTEE Karan Chauhan
Parsippony Hills High School,
Permanent Student Representative
New Jersey State Board of Education



Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.⁵

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.⁶

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been Impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

References 1 Massachusetts Technical Assistance Partnership

- ² Centers for Disease Control and Prevention
- ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- 4 Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- National Institute of Arthritis and Musculoskeletal and Skin Diseases
- * USA TODAY
- 7 American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
 annually this educational fact to all student athletes and obtain a signed acknowledgement from each
 parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the
 prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic
 student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- · Answers questions slowly or inaccurately
- · Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- Report it. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

Paul fault and information and Compare Delay 1 C

www.cdc.gov/concussion/sports/inwww.ncaa.org/health-safety	dex.html www.bianj.org	injuries, piease visit: <u>www.nfhs.com</u> <u>www.atsnj.org</u>	
Signature of Student-Athlete	Print Student-A	thlete's Name	Date

BYBUNUSS

WALLEST ENTER THE STATE OF THE lvkiesileur Kempanans





Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury.1 According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Rayantono) A Simisteniel ayalığı ites

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.2 Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.3

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tipsbuying-sports-eye-protectors, and http://www.preventblindness.org/recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyelnjuries.pdf, December 26, 2013.

Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

Most Common

Types of Eye
Injuries

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

- Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
- Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

ond Sports

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a - S Sports-Related - Eye Injury Occurs If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

should be followed when

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.

Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.